

This information is for guideline purposes only and is subject to change without notice. The state issued permits and provision sheets are the law, and should be read completely before departing the shipper and followed precisely while transporting OD freight.

LANDSTAR					
Escort Regulations					
State	Lanes	Rules	# Cars	Location	Comments
AL	2	Overhang of Bulldozer Blade	1	Front	
	4	Overhang of Bulldozer Blade	1	Rear	
	All	Width over 12'	2	Both	
	All	Length over 85' up to 105' * (Length over 75' if trailer is 57' or greater)	1	Rear	
	All	Length over 105'	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Overhang in rear more than 5'	1	Rear	
	All	Overhang in front more than 10'	1	Front	
AZ	2	Width over 12'	2	Both	
	All	Width over 14'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length over 120'	1	Varies	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Overhang 20' or more in front	1	Front	
	All	Overhang 20' or more in rear	1	Rear	
	Note	Height over 17' (Pole Car Required)	1	Front	Will need Bucket Truck, Utility Approval, Special Permit Approval (May or may not be approved)
AR	2	Width over 12' up to 14'	1	Front	
	2	Width over 14'	2	Both	
	2	Over 12' Wide and 13' 6" High	2	Pole and Rear	
	4	Width over 14' up to 16'	1	Rear	
	4	Over 12' Wide and 15" High	2	Pole and Rear	
	All	Length over 100'	1	Varies	
	All	Length over 130'	2	Both	Front if 2 lane Rear if 4 lane.
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Height over 16' (Pole Car Required)	1	Front	Must obtain special permit
CA	All	Width over 12'	1 or 2	Varies	Depends on location*** Depending on location may need escort under 12' wide
	All	Width over 13' 1"	1 or 2	Varies	1 or 2 Civilian Escorts Plus State Police.
	All	Length over 100' in LA City	2	Both	
	All	Length of 120' up to 135' (Depending on Location)	1 or more	Varies	
	All	Length over 135'	1 or more	Varies	1 Civilian Escort Plus State Police Required.
	All	Overhang greater than 25' off rear of trailer	1 or more	Varies	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Height over 17' (Pole Car Required)	1	Front	1 Civilian Escort Plus State Police Required.

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
CO	2	Width over 13' up to 15' *(certain routes will allow a yellow light in lieu of rear escort)	1	Front	Plus possible Rear Escort requirements vary according to routes.
	2	Width over 15' up to 17' *(certain routes will allow a yellow light in lieu of rear escort)	2	Both	Escort requirements vary according to routes.
	2	Width over 8' 6" on certain secondary roads	1	Front	
	2	Width over 11' on certain secondary 2-lane roads	2	Both	
	2	Length over 110'	1	Rear	
	4	Width over 13' up to 15' *(certain routes will allow a yellow light in lieu of rear escort)	1	Rear	Escort requirements vary according to routes.
	4	Width over 15' up to 17' *(certain routes will allow a yellow light in lieu of rear escort)	2	Both	Escort requirements vary according to routes.
	4	Length over 115'	1	Rear	
	All	Length over 85' on certain portions of highways	1	Varies	Could be Front or Rear Depending on routes
	All	Overhang more than 25' at the point of overhang	1	Varies	
CT	All	Height Over 15' (Pole Car Required)	1	Front	
	All	Height over 17' 6" (Pole Car Required)	1	Front	Will need Bucket Truck, Utility Approval, Special Permit Approval (May or may not be approved)
	2	Width Legal to 12'	1	Rear	If load exceeds lane width
	2	Width over 12'	2	Both	
	2	Length over 80'	1	Rear	
	2	Length over 100'	2	Both	
	4	Width over 12'	1	Rear	
	4	Length over 100'	1	Rear	
	4	Length over 120'	2	Both	
	All	Width of 13' 6" up to 15'	2	Both	
DE	All	Width over 15'	3	Both	Front and Two Rear Cars Max Width is 16'
	All	Overhang in Front or Rear over 25'	2	Both	
	All	Height over 14' (Pole Car Required)	1	Front	
	All	Width of 12' up to 14'	1	Varies	
	All	Width of 14' up to 15'	2	Both	
	All	Width over 15'	2	Both	2 Civilian Escorts Plus State Police Required
	All	Length of 85'	1	Rear	
	All	Length of 100'	2	Both	
DC	All	Length of 120' or more	2	Both	2 Civilian Escorts Plus State Police Required
	All	Height Over 15' (Pole Car Required)	1	Front	Need Route Survey, Call Utility companies 3 days in advance
	All	Weight over 120,000 LBS	2	Both	2 Civilian Escorts Plus State Police Required and Bridge Survey (Allow 2 -3 days)
	All	Width over 12'	1	Front	
	All	Length of 80' or more	1	Rear	
FL	All	Height over 13' 6"	1	Front	
	All	Weight over 79,000	1	Front	
	2	Width over 12' up to 14'	1	Front	If pavement is less than 24' wide an additional rear escort needed
	2	Width over 14' up to 15'	2	Both	Each lane MUST be 12' wide. Max width is 16' over 50 miles.
	4	Width over 12' up to 14'	1	Rear	
	4	Width over 14' up to 15'	2	Both	Max width is 16' over 50 miles.
	All	Length 75' up to 95'	1	Rear	Might be waived depending on routes
	All	Length over 95'	1	Rear	
	All	Height over 14' 6" (Pole Car Required)	1	Front	Route Survey required on some 2 lane roads
All	Height over 16' Pole Car Required)	2	Both	Route Survey required on loads over 15' High. Max Height is 16' over 50 miles.	
All	Rear Overhang up to 20' past the center of the last axle on trailer	1	Rear		

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
GA	2	Width over 12'	2	Both	
	4	Width over 12' up to 14' 8"	1	Rear	
	4	Width over 14' 8" up to 16'	2	Both	
	All	Length over 75'	1	Rear	Instead of Rear Escort may use one 8" flashing amber light at rear of load with an Amber Light Permit.
	All	Length over 100'	1	Rear	
	All	Length over 125'	2	Both	
ID	All	Height over 15' (Pole Car Required)	1	Front	
	2	Width over 12'	1	Front	
	2	Width over 14'	2	Both	
	2	Length over 100'	1	Rear	
	4	Width over 15'	1	Rear	
	4	Length over 120'	1	Rear	
IL	All	Height over 15' (Pole Car Required)	1	Front	
	All	Width over 14' 6"	1	Varies	If 4 lane then escort would be a rear
	All	Width over 16'	3	Both	
	All	Length over 110'	1	Rear	If 4 lane then escort would be a rear
	All	Length over 145'	3	Both	
	All	Height over 14' 6" (Pole Car Required)	1	Front	
	All	Height over 16'	1	Front	Route Survey is required.
	All	Loads that exceed both 14' 6" wide and 14' 6" High	2	Both	
	All	Width over 18'	3	Both	3 Civilian Escorts Plus State Police Required.
IN	All	Length over 175'	3	Both	3 Civilian Escorts Plus State Police Required.
	All	Height over 18'	1	Front	1 Civilian Escort Plus State Police Required.
	2	Width over 14' 4" up to 17'	2	Both	
	4	Width over 14' 4" up to 17'	1	Rear	
	All	Width over 12' 4" up to 14' 4"	1	Varies	
	All	Length over 110'	1	Rear	
IA	All	Height over 14' 6" (Pole Car Required)	1	Front	
	All	Height over 15' (Pole Car Required) + Bucket Truck	1	Front	
	2	Width over 12' up to 14' 6"	1	Front	
	All	Width over 14' 6" up to 16' 6"	1	Rear	
KS	All	Length exceeds 120'	1	Rear	
	All	Height over 14' 4" (Pole Car Required)	1	Front	
	2	Width over 14'	2	Both	
	4	Width over 16' 6"	2	Both	
KY	4	Height over 15' (Pole Car Required)	1	Front	
	4	Height over 18'	2	Both	
	Turnpike	Width over 14'	1	Rear	
	2	Width over 10' 6" up to 12'	1	Front	
	2	Width over 12' up to 14'	2	Both	
	2	Length over 75' up to 120'	1	Front	
	2	Length over 120'	2	Rear	
	4	Width over 12'	1	Rear	
	4	Width over 14'	2	Both	
4	Length over 120'	2	Both		
4	Overhang over 10'	1	Rear	Escort needs to be @ point of overhang	
All	Height over 15'	1	Front	Maximum height allowed in Kentucky is 15' 6"	

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
LA	All	Width over 12' up to 16'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length over 90' up to 125'	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	
	New Orleans	Width over 12'	1	Front	1 Civilian Escort Plus State Police Required.
	New Orleans	Length over 90'	1	Rear	1 Civilian Escort Plus State Police Required.
	New Orleans	Height over 13' 6"	1	Front	1 Civilian Escort Plus State Police Required.
	All	Width over 16'	2	Both	2 Civilian Escorts Plus State Police Required.
ME	All	Length over 125'	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Width of 12' up to 15' 11"	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length of 80' up to 124'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Overhang is 15' or more	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Height over 14' 5" (Pole Car Required)	1	Front	
	All	Width over 16'	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Length over 125'	2	Both	2 Civilian Escorts Plus State Police Required.
MD	All	Extreme heights	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Width over 13'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width of 14' or more	2	Both	
	All	Height of 14' 5" (Pole Car Required)	1	Front	
	All	Length over 85'	1	Rear	
	All	Length of 140' or more	2	Both	
	All	Height of 14' 6" (Pole Car Required)	1	Front	
MA	All	Weight over 60 tons (120,000)	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width Over 16'	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Weight over 65 tons (130,000)	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Width over 12' up to 13' 6"	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 12' and up (Dozer with blade attached)	2	Both	
	All	Width over 13' 6"	2	Both	
	All	Length of 80' up to 95'	1	Rear	
	All	Length over 95'	2	Both	
	All	Length over 134' or more	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Height over 13' 8" (Pole Car Required)	1	Front	Route Survey Required
	All	Height over 13' 9" (Pole Car Required)	1	Front	
	All	Height over 13' 11" (Pole Car Required)	2	Both	
	Turnpike	Width over 12'	1	Rear	
	Turnpike	Width over 13'	2	Both	
Turnpike	Width over 15'	2	Both	2 Civilian Escorts Plus State Police Required	
Turnpike	Length over 80'	1	Rear		
Turnpike	Length over 85'	2	Both		
Turnpike	Length of 135' or more	2	Both	2 Civilian Escorts Plus State Police Required	
Turnpike	Overhang of 4' or more if load is Poles, Masts, or Booms	1	Rear		
Turnpike	Overhang of 10' or more if loads isn't Poles, Masts, or Booms	1	Rear		
MI	All	Width over 12' up to 14'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 14'	2	Both	
	All	Length of 90' up to 100'	1	Rear	
	All	Length over 100'	2	Both	
	All	Height over 13' 6"			Route Survey Required. State does not check clearances for height.
	All	Height over 14' 5" (Pole Car Required)	1	Front	
	All	Height over 15' (Pole Car Required)	2	Both	
	All	Overhang over 15'	1	Rear	

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
MN	2	Width of 14' 6" up to 16' 6"	2	Both	
	4	Width of 14' 6" up to 16' 6"	1	Rear	
	All	Width over 16' 6"	2	Both	
	All	Length over 95' up to 110'	1	Rear	
	All	Length over 110'	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
MS	All	Width over 13'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length of 95' up to 105'	1	Rear	
	All	Length over 105'	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Overhang of 15' or more in front	1	Front	
	All	Overhang of 15' or more in rear	1	Rear	
MO	2	Width over 12' 4" up to 14'	1	Varies	Front car on undivided, rear car on divided
	2	Width over 14' to 16'	2	Both	
	2	Width over 16'	2	Both	2 Civilian Escorts Plus State Police Required
	2	Length over 90' for a combination unit	1	Rear	
	4	Width over 12' 4" up to 16'	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	Height over 15' 6" also requires a Route Survey.
MT	2	Width over 12' 6" up to 14'	1	Front	
	2	Width of main body of load is 14' or overall is width is over 15'	2	Both	
	2	Length over 110'	1	Rear	
	4	Width over 16' 6"	1	Rear	
	4	Length over 120'	1	Rear	
	All	Height over 15' (Pole car Required)	1	Front	Height over 17' requires a Route Survey.
NE	All	Width over 12'	1	Varies	See note Below
	All	Length over 100'	1	Varies	See note Below
	All	Height over 14' 6" (Pole Car Required)	1	Front	
	NOTE	On Interstates, an alternative light bar MAY be allowed in lieu of an escort. Must have oversized signs on front and rear along with 4 red flags on 4 corners and (2) 6" revolving amber lights at rear + (1) 6" revolving amber light on top of tractor.			
NV	2	Width over 12' up to 14'	1	Front	
	2	Width over 14' up to 16'	2	Both	
	2	Width over 16'	3	Both	2 Front and 1 Rear
	2	Width to 17'	2	Both	2 Civilian Escorts Plus State Police Required.
	4	Width over 14' up to 16'	1	Rear	
	4	Width over 16' up to 17'	2	Both	
	4	Width over 17' (Reviewed on an individual basis)	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Length over 105'	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Overhang over 25' in front	1	Front	
NH	All	Overhang over 25' in rear	1	Rear	
	All	Width of 12' and over	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length 80' and over	1	Front	
	All	Height over 14' 6" (Pole Car Required)	1	Front	
	All	Overhang of 15' and over w/ 12' width	2	Both	
	All	Width of 18' and over	2	Both	2 Civilian Escorts Plus State Police Required.
All	Length of 100' and over	1	Rear	1 Civilian Escort Plus State Police Required.	

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
NJ	All	Width over 14'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 16'	2	Both	
	All	Length over 100'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length over 120'	2	Both	
	All	Height over 14' (Pole Car required)	1	Front	
NM	2	Width over 12'	1	Front	
	All	Width over 14'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 20' for 5 or more miles	2	Both	2 Civilian Escorts Plus State Police Required and a Flagman.
	All	Length over 90' up to 110'	1	Rear	
	All	Length over 110'	2	Both	
NY	All	Height over 15' (Pole Car required)	1	Front	
	All	Height over 18'	1	Front	Need clearance from Utility Companies and Municipal and Local Authorities
	2	Width over 12'	1	Front	
	2	Width of 16' and over	3	Both	3 Civilian Escorts Plus State Police Required.
	2	Length of 80' and over	1	Front	
	2	Length of 140' and over	3	Both	3 Civilian Escorts Plus State Police Required.
	2	Overhang over 10'	1	Front	
	4	Width over 12'	1	Rear	
	4	Width of 18' and over	3	Both	3 Civilian Escorts Plus State Police Required.
	4	Length of 80' and over	1	Rear	
	4	Length of 200' and over	3	Both	3 Civilian Escorts Plus State Police Required.
	4	Overhang over 10'	1	Rear	
	All	Length of 100' and over	2	Both	
	All	Weight over 200,000 #			Civilian Plus Police Escorts
	NYC	All	Height over 14' (Pole Car Required)	1	Front
All		Height 16' and over	1	Front	1 Civilian Escort Plus State Police Required.
All		Width over 11'	1	Rear	
NY THRUWAY	All	Width over 14'	2	Both	
	All	Length over 65'	1	Rear	
	All	Width over 12'	1	Rear	
	All	Width of 14' up to 15' 11" (I-84 only)	2	Both	
	All	Width over 16'	2	Both	2 Civilian Escorts Plus State Police Required.
NC	All	Overhang over 10'	1	Rear	
	All	Height over 13' 6" (Pole Car Required)	1	Front	
	All	Width over 12' up to 14'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 14'	2	Both	
ND	All	Length over 110'	1	Rear	Needs approval of Permit Supervisor
	All	Height over 14' 5" (Pole Car Required)	1	Front	
	2	Width over 14' 6" up to 16'	1	Front	
	2	Width over 16'	2	Both	
	4	Width over 16'	1	Rear	
OH	All	Width over 18'	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Length over 120'	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Width over 13'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 14' 6"	2	Both	
	All	Length over 90'	1	Rear	
	All	Height over 14' 6" (Pole Car Required)	1	Front	
	All	Height over 14' 10" (Pole Car Required)	2	Both	

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
OK	2	Width over 12' up to 14'	1	Front	
	2	Width over 14'	2	Both	
	2	Length over 80'	1	Front	
	2	Length over 100'	2	Both	
	4	Width over 12' up to 16'	1	Rear	
	4	Width over 16'	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Height over 15' 9" (Pole Car Required)	2	Both	
OR	All	Height over 17'	2	Both	Must get prior approval from all Utilities and railroads along the route.
	2	Width over 10'	1	Front	
	2	Width over 12'	2	Both	
	2	Length over 95'	1	Rear	
	2	Length over 120'	2	Both	
	4	Width over 14'	1	Rear	
	2	Length over 120'	1	Rear	
	All	Width over 16'			See Permit for requirements
PA	All	Length over 140'			See Permit for requirements
	All	Height over 15' (Pole Car Required)	1	Front	Some county roads require a pole @ 14' 6"
	All	Width over 13'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 16'	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Length over 90'	1	Rear	
	All	Length over 160'	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Overhang in rear more than 15'	1	Rear	
	All	Height over 14' 6" (Pole Car Required)	1	Front	
RI	All	Overweight greater than 201,000 lbs.	1	Varies	1 Civilian Escort Plus State Police Required.
	All	Overweight if permit requires load must be only vehicle on bridge, or to occupy more than 1 lane to cross a 2 directional bridge.	2	Both	
	All	Width of 12' up to 14' 6"	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 14' 6"	2	Both	
	All	Length over 80' up to 90'	1	Rear	
SC	All	Length over 90'	2	Both	
	All	Height over 14' (Pole Car Required)	1	Front	
	All	Overhang of 15' or more	1	Varies	Front if 2 lane Rear if 4 lane.
	2	Width over 12' up to 14'	1	Front	
	All	Width over 14' up to 16'	2	Both	
SD	All	Width over 16' (Requires approval of Co. resident engineers)	2	Both	2 Civilian Escorts Plus State Police Required.
	All	Rear overhang of 15' on less than 48' trailer	1	Rear	
	All	Rear overhang of 10' on 48' and 53' trailers	1	Rear	
	All	Height over 15' (Pole Car required)	1	Front	
TN	All	Width over 16'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Height over 15' (Pole Car Required)	1	Front	
TN	NOTE	See Permit for additional requirements			
	2	Width over 10' up to 14'	1	Front	
	4	Width over 12' 6" up to 14'	1	Rear	
	All	Width over 14' (if approved)	2	Both	
	All	Length over 75' up to 85'	0		Needs special lighting
	All	Length over 85' up to 120'	1	Rear	
	All	Length over 120'	2	Both	
All	Height over 15' (Pole Car Required)	1	Front		

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
TX	All	Width over 14' up to 16'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 16'	2	Both	
	All	Length over 110' up to 125'	1	Rear	
	All	Length over 125'	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Height over 17' (Pole Car Required)	1	Front	Pole car Required plus a Bucket Truck
	All	Overhang over 20' up to 30'	1	Rear	
	All	Overhang over 30' (needs special approval)	2	Both	
UT	2	Width of 12' up to 14'	1	Front	
	2	Width of 14' or more	2	Both	
	2	Width over 17'	2	Both	2 Civilian Escorts Plus State Police Required. (2 Police)
	2	Length of 105' up to 120'	1	Rear	
	2	Length over 120'	2	Both	
	2	Overhang of 20' or more	2	Both	
	4	Width over 14'	1	Rear	
	4	Width of 16' or over	2	Both	
	4	Length of 120' or more	1	Rear	
	4	Overhang of 20' or more	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	
All	Height over 16' (Pole Car Required)	2	Both		
All	Height over 17' 6" (Pole Car Required)	2	Both	2 Civilian Escorts Plus State Police Required.	
VT	All	Width of 12' or more	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length of 80' or more	1	Rear	
	All	Overhang of 15' or more	1	Rear	
	All	Height over 13' 11" (Pole Car required)	1	Front	
	NOTE	Large or hazardous moves may require additional Civilian and or Police Escorts			
VA	2	Width over 12' up to 14'	2	Both	
	2	Width over 14' up to 16'	3	Both	2 front 1 Rear
	2	Width over 16' up to 18'	4	Both	2 Front 2 Rear
	2	Length over 85'	1	Rear	
	4	Width over 12' up to 14'	1	Rear	
	4	Width over 14' up to 16'	2	Both	
	4	Width over 16' up to 18'	3	Both	1 Front 2 Rear
	All	Length over 120'	1	Rear	
	All	Length over 150'	2	Both	
	All	Overhang over 10' in Front	1	Front	
	All	Overhang 15' in Rear	1	Rear	
All	Height over 15' (Pole Car Required)	1	Front		
WA	2	Width over 11'	2	Both	
	2	Length over 105'	1	Rear	
	2	Height over 14' 6" (Pole Car Required)	1	Front	Depending on Routing
	4	Width over 14' up to 20'	1	Rear	
	4	Width over 20'	2	Both	2 Civilian Escorts Plus State Police Required.
	4	Length over 140'	1	Rear	
4	Height over 15' (Pole Car Required)	1	Front		

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
WV	2	Width over 10' 6" up to 12'	1	Front	
	2	Width over 12'	2	Both	
	2	Width over 15'	3	Both	2 Front and 1 Rear will also require Police.
	2	Width over 16'	3	Both	2 Front and 1 Rear will also require WV DOT, Sunday Travel ONLY.
	2	Length over 75'	1	Rear	
	2	Length over 95'	2	Both	
	4	Width over 12'	1	Rear	
	4	Width over 14'	2	Both	
	4	Width over 15'	3	Both	2 Front and 1 Rear
	4	Width over 16'	3	Both	2 Front and 1 Rear will also require WV DOT, Sunday Travel ONLY.
	4	Length over 95'	1	Rear	
	4	Length over 100'	2	Both	
	All	Overhang over 10'	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	
WI	All	Width over 15' up to 16'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 16'	2	Both	
WY	All	Height over 15' (Pole Car Required)	1	Front	
	2	Width any portion of vehicle extends to left of center line	2	Both	
	2	Width of 14' or more	2	Both	
	2	Length of 110' or more	2	Both	
	4	Width of 15' or more	1	Rear	
All	Height over 15' (Pole Car Required)	1	Front		

PORT OF ENTRY TELEPHONE #			
ALPINE	(307) 654-7570	LANDER	(307) 332-4151
BASIN	(307) 568-3400	LARAMIE	(307) 745-2201
CASPER	(307) 473-3281	LUSK	(307) 334-3815
CHEYENNE E I-80	(307) 777-4895	RAWLINS	(307) 324-2249
CHEYENNE S I-25	(307) 777-4897	RIVERTON	(307) 856-1341
CHEYENNE S US-	(307) 777-4896	ROCK SPRINGS	(307) 352-3000
CODY	(307) 587-2220	SHERIDAN	(307) 674-7092
DOUGLAS	(307) 358-5515	SUNDANCE	(307) 283-1617
EVANSTON	(307) 789-3539	TORRINGTON	(307) 532-2520
FRANNIE	(307) 664-2390	WHEATLAND	(307) 322-2558
GILLETTE	(307) 682-4031	WORLAND	(307) 347-2822
KEMMERER	(307) 877-4230	* OPEN 24 HOURS	
DRIVERS MUST CALL PORT OF ENTRY 1- 2 HOURS BEFORE ARRIVING AT PORT			

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
CANADIAN REGULATIONS					
AB	All	Width over 12' 7" up to 14' 7"	1	Front	NO SPREAD AXLES
	All	Width 14' 7" and over	2	Both	244" WHEEL BASE ON TRACTOR
BC	All	Length (Varies by season)	1	Rear	LIFT AXLES ARE NOT ALLOW 244" WHEEL BASE ON TRACTOR
	All	OVER 12' 6" WIDE	1		Front if 2 lane Rear if 4 lane. NO SPREAD AXLES TRLR ALLOWED
	All	OVER 90' LONG	1	Varies	Front if 2 lane Rear if 4 lane.
MB	All	OVER 9' 11" OVERHANG	1	Varies	Front if 2 lane Rear if 4 lane.
	All	OVER 15' HIGH	1		
	2	Width of 15' 1"and over	2	Both	NO SPREAD AXLES TRLR
NB	2	Length of 98' 5"	2	Both	
	4	Width of 15' 1" to 20'	1	Rear	*Depending on Routes they could add a second car
	All	Height over 15' (Pole Car Required)	1	Front	
NF	2	Width over 16'	2	Both	
	2	Length over 90'	1	Rear	
	4	Width over 10' and Nighttime travel	1	Rear	
NW	4	Length over 98' 5"	1	Rear	
	All	Width over 12'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width 14' and over	1	Varies	Front if 2 lane Rear if 4 lane.
NS	All	Length over 78' 9"	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Width 10' to 14'2" (Daytime Movement)	1	Front	
ON	All	Width 10' to 14'2" (Night Movement)	2	Both	
	All	Width 14' 2" to 16'5"	2	Both	
	All	Width over 16' 5"	2	Both	Could possibly have additional requirements
PEI	All	Length 82' to 101'	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
	All	Width on hwy other than 100 Series	1	Front	
PQ	All	Width 14' 1" to 17' on divided highway	1	Front	
	All	Width 14' 1" to 17' on undivided highway	1	Rear	
	All	Width 17' to 22'	2	Both	Plus Police Escorts
SK	All	Length 82' to 100'	1	Rear	
	All	Length over 100	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
SK	All	Width over 13'	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Length 120' 7" and over	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Height over 15' (Pole Car Required)	1	Front	
SK	All	Width of 12' and over	2	Both	
	All	Length of 90' and over	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
SK	All	Width 12' 4" to 14' 4"	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width of 14' 6" and over	2	Both	
	All	Height over 15' (Pole Car Required)	1	Front	
SK	All	Width exceeds 8' 6" to 16' 4" if load protrudes over center line	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 16' 4"	1	Rear	
	All	Width exceed 11' 2" (Nighttime Travel)	2	Both	
SK	2	Length exceeds 98'	1	Rear	
	4	Length exceeds 118'	1	Rear	
	All	Height over 15' (Pole Car Required)	1	Front	

LANDSTAR

Escort Regulations

State	Lanes	Rules	# Cars	Location	Comments
YT	All	Width of 8' 10" to 12' 6"	1	Varies	Front if 2 lane Rear if 4 lane.
	All	Width over 12' 6"	2	Both	
	All	Length of 85' 5" to 101' 8"	1	Varies	
	All	Length of 101' 9" and over	2	both	
	All	Height over 15' (Pole Car Required)	1	Front	

ALL LOADS MOVING IN CANADA NEED THE " D" SIGNS

This information is for guideline purposes only and is subject to change without notice. The state issued permits and provision sheets are the law, and should be read completely before departing the shipper and followed precisely while transporting OD freight.